

CLAIMS

I claim:

1. A home control platform comprising:

a plurality of serial buses that is configured to provide interconnections among a plurality
5 of processing units,

a bus allocation control unit that is configured to receive requests for bandwidth
allocation from the plurality of processing units, and to provide allocations of subsets of the
plurality of serial buses to satisfy the requests.

10 2. The home control platform of claim 1, further including

at least one processing unit of the plurality of processing units.

3. The home control platform of claim 2, wherein

the at least one processing unit includes at least one of:

an MPEG decoder,

an MPEG encoder

a signal processor,

a variable-length decoder,

a variable-length encoder,

a coder-decoder,

a video CODEC,

an audio CODEC,

a Fast-Fourier-Transform device,

a Discrete-Cosine-Transform device,

a video processor, and

an audio processor.

0906135.09204
FOR 250" SAT 9560

4. The home control platform of claim 2, wherein
the at least one processing unit includes at least one of:
a serial-to-parallel converter,
a parallel-to-serial converter,
5 a bus arbitrator,
a bus router, and
a direct-memory-access device.

10 5. The home control platform of claim 1, wherein
the at least one processing unit includes:
a filter unit, and
a SDRAM.

6. The home control platform of claim 5, wherein
the filter unit is configured to be programmable.

7. The home control platform of claim 1, wherein
each of the plurality of serial buses is configured to be self-timing.

8. The home control platform of claim 1, further including
at least one control processor that is configured to provide control of data transfer among
the plurality of processing units.

9. The home control platform of claim 8, wherein
25 the at least one control processor includes at least one of:
a network interface,
a network manager,
a browser, and
a user interface.

10. The home control platform of claim 9, wherein
the at least one control processor includes at least one of:

- a serial-to-parallel converter,
- a parallel-to-serial converter,
- a bus arbitrator,
- a bus router,
- a protocol stack, and
- a direct-memory-access device.

11. The home control platform of claim 8, wherein
the at least one control processor includes:

- a bus interface unit, operably coupled to the plurality of serial buses, that is configured to effect transfer of data via the plurality of serial buses, and
- a central processing unit, operably coupled to the bus interface unit, that is configured to process input data from the bus interface unit, and is configured to provide processed data to the bus interface unit.

12. The home control platform of claim 11, wherein
the at least one control processor further includes an SDRAM.

13. The home control platform of claim 8, wherein
the at least one control processor further includes
a microkernel that is configured to provide base operating system services that include at least one of:

- semaphores,
- messaging,
- scheduling,
- exception management,
- task management, and
- memory management.

14. The home control platform of claim 13, wherein
the at least one control processor further includes
an interface that is configured to couple the microkernel to a standard operating
system.

5

15. The home control platform of claim 14, wherein
the standard operating system includes one of: Vxworks, WinCE, and LINUX.

16. The home control platform of claim 13, wherein

10

the task management is configured to provide direct access to at least one of the plurality
of processing units,

the at least one of the plurality of processing units being configured as a coprocessor, and
the direct access being provided through a coprocessor interface layer.

17. The home control platform of claim 8, wherein

the at least one control processor is further configured to provide at least one of:
task memory and CPU space isolation,
virus protection, and
money management.

18. The home control platform of claim 8, wherein

the at least one control processor is further configured to provide an interface between
the home control platform and at least one legacy consumer product,

the at least one legacy consumer product includes at least one of:

25

a television,
a telephone,
an audio system,
a video system, and
an appliance.

30

19. The home control platform of claim 8, wherein
the at least one control processor includes at least one of:

- a voice recognition system,
- a voice synthesis system, and
- a wireless device interface system.

5

20. The home control platform of claim 1, wherein
each of the plurality of serial buses is configured to be self-timing.

10 21. The home control platform of claim 1, further including
a power supply that is configured to provide power to one or more of the plurality of
processing units.

0996125-092101
101260-5219660

22. A processing unit for use in a home control platform, comprising:

one or more filter units,

a bus interface unit, operably coupled to a plurality of serial buses of the home control platform, that is configured to:

5 receive an allocation of a select one or more buses of the plurality of buses from the home control platform, and

 provide communication between the home control platform and the one or more filter units via the select one or more buses.

10 23. The processing unit of claim 22, wherein

the one or more filter units are configured to effect the function of at least one of:

an MPEG decoder,

an MPEG encoder

a signal processor,

a variable-length decoder,

a variable-length encoder,

a coder-decoder,

a video CODEC,

an audio CODEC,

a Fast-Fourier-Transform device,

a Discrete-Cosine-Transform device,

a video processor, and

an audio processor.

25 24. The processing unit of claim 22, further including:

a serial-to-parallel converter,

a parallel-to-serial converter, and

a direct-memory-access device.

30

25. A control processor for use in a home control platform, comprising
a bus interface unit, operably coupled to a plurality of serial buses of the home control
platform, that is configured to effect transfer of data via the plurality of serial buses, based on an
allocation of a select one or more buses of the plurality of serial buses by the home control
5 platform, and

a central processing unit, operably coupled to the bus interface unit, that is configured to
process input data from the bus interface unit, and is configured to provide processed data to the
bus interface unit.

10 26. The control processor of claim 25, further including
a microkernel that is configured to provide base operating system services that include at
least one of:

semaphores,
messaging,
scheduling,
exception management,
task management, and
memory management.

20 27. The control processor of claim 26, further including
an interface that is configured to couple the microkernel to a standard operating system.

28. The control processor of claim 26, wherein
the task management is configured to provide direct access to at least one of a plurality of
25 processing units,
the at least one of the plurality of processing units being configured as a coprocessor, and
the direct access being provided through a coprocessor interface layer.

29. The control processor of claim 25, further including:

an interface between the home control platform and at least one legacy consumer product, wherein

the at least one legacy consumer product includes at least one of:

- 5 a television,
- a telephone,
- an audio system,
- a video system, and
- an appliance.

10

30. The control processor of claim 25, further including at least one of:

- a voice recognition system,
- a voice synthesis system, and
- a wireless device interface system.

09969.125-092.104
FOR 260 SET 59660